LIBRARY
STATE PLANT BOARD

July 1947 E-731

United States Department of Agriculture
Agricultural Research Administration
Bureau of Entomology and Plant Quarantine

A LIST OF PUBLICATIONS ON BENZENE HEXACHLORIDE[1/]

Ruth L. Busbey, Division of Insecticide Investigations

(1) ANONYMOUS
1945. El gammexane. Guardado como secreto de guerra hasta ahora, se ha revelado el hallazgo de un poderosisimo insecticida. El Campo y Suelo Argentino 29(345): 24-25.

(2) ----
1945. Advances in disinfestation. Lancet 249(6376): 609-610.

(3) ----
1946. The chemical control of pests. Endeavour [London] 4(16): 121-122. [Also in Trop. Agr. 23(1): 1-2.]

(4) ----
1946. Grasshopper plague threatens north. Dept. [of Agriculture] testing Gammexane from aircraft. Stock and Land [Melbourne, Australia] 36(22): 1.

(5) ----
1946. Hexachlorocyclohexane .... a new triple-action insecticide. Down to Earth [Dow Chemical Co.] 2(2): 14-16.

(6) ALLMAN, S. L.
1946. Benzene hexachloride in grasshopper baits. Agr. Gaz. N. S. Wales 57(4): 171-2, 182.

(7) APPLE, J. W.
1946. A better cabbage insecticide. Ill. Veg. Growers' Bul. 6(3): 4-6.

(8) AULT, C. N.
1946. Control of Boophilus australis in the Argentine by the gamma isomer of hexachlorocyclohexane (Gammexane). Nature [London] 157: 699-700.

1/ Reprints of these publications are not available for distribution by the Bureau.

AUG 25 1947

(9) B., A.
1946. Deux nouveaux insecticides, "DDT" et "666." Agron. Trop. 1(1-2): 79.

(10) BACON, C. W.
1909. On the determination of halogens in organic compounds. Amer. Chem. Soc. Jour. 31: 49-52.

(11) BEILSTEIN, F., and KURBATOW, A. P.
1878. Über die Chloroderivate des Benzols. Justus Liebigs Ann. der Chem. 192: 228-240.

(12) BEILSTEIN, F. K.
1922. Beilsteins Handbuch der Organischen Chemie. Ed. 4, Vol. 5, p. 23, Berlin; also 1st sup. (1930), Vol. 5, p. 8; and 2d sup. (1943), Vol. 5, pp. 11-12.

(13) BEKKER, P. M., and GRAF, H.
1946. Gammexane and D.D.T. dips for control of arsenic-resistant blue tick. Farming in So. Africa 21: 361-366, 420.

(14) BENDER, HARRY
1935. Chlorination. U. S. Patent 2,010,841, issued Aug. 13. To Great Western Electro-Chemical Co.

(15) BENLLOCH, MIGUEL
1945. Los nuevos insecticidas organicas. Agricultura [Madrid] 14: 511-516.

(16) BERGER, E.
1920. Production of chlorides by primed reaction. [Paris] Acad. des Sci. Compt. Rend. 171: 29-32.

(17) BERTHELOT, M. P. E.
1868. Methode universelle pour réduire et saturer d'hydrogène les composés organiques. Soc. Chim. de France Bul. 9: 8-31.

(18) BISHOPP, F. C.
1945. The insecticide situation. Jour. Econ. Ent. 39: 449-459.

(19) ----
1946. Use of DDT as an insect control in the canning industry. Canner 102(10): 13-14, 18.

(20) ----
1946. New insecticides. Agr. Chem. 1(6): 19-22, 39-40.

(21) BODEWIG, C.
1879. [Benzene hexachloride.] „Ztschr f. Kristallographie 3: 401. [Abstract in Jahresber. uber Fortschr. der Chem. 1879, p. 387.]

(22) BONNEMAISON, L.
1946. Sur l'action aphicide de quelques composés organiques. Acad. d' Agr. de France Compt. Rend, 32: 38-40.

(23) BOTTGER, G. T., and LEVIN, CLEMENCE
1946. Comparative toxicity to insects of benzene hexachloride and DDT. Jour. Econ. Ent. 39: 539-541.

(24) BOURNE, L. B.
1945. Hexachlorocyclohexane as an insecticide. Nature [London] 156: 85.

(25) BRACEY, P., and DAVID, W. A. L.
1944. 666 as an anti mosquito spray. Gt. Brit. Min. Prod. Thirteenth Interim Rpt. on Anti-Mosquito Sprays, IDP(44) 170: 1-2. [Processed]*

(26) BRETT, CHARLES H., and RHOADES, W. C.
1946. Grasshopper control in alfalfa with hexachlorocyclohexane dust. Jour. Econ. Ent. 39: 677-678.

(27) BRITISH MINISTRY OF PRODUCTION, INSECTICIDE DEVELOPMENT PANEL
1944. Minutes of the seventeenth meeting ... June 27, 1944. Gt. Brit. Min. Prod. Rpt. IDP(44) 17th Meeting: 1-7. [Processed]*

(28) BRITISH WAR OFFICE, DIRECTOR OF HYGIENE
1944. Report on preliminary investigation of larvicidal action of the substance 666, received from No. 7 Field Malaria Laboratory, West Africa Force. Gt. Brit. Min. Prod. Rpt. IDP (44) 196: 1-14(Aug. 8); 5 pp. sup. Aug. 19, 1944. [Processed.]*

(29) BRONSON, T. E., SMITH, F. F., and SIMPSON, G. W.
1946. Control of aphids on potatoes in northeastern Maine. Jour. Econ. Ent. 39: 189-194.

(30) BROWN, A. W. A.
1946. Toxicity and dispersal of DNOC and other organic insecticides. II. Laboratory studies on the toxicity of DNOC and other organic insecticides to grasshoppers. In Hanford, R. H., Comp., Results of Grasshopper Investigations During 1945. Part III. Work Conducted in Canada, 51 pp. Canada Dept. Agr., Sci. Serv., Div. Ent. Processed Pub. 53: 32-35.

---

*Copies may not be available.

(31) BRUNETEAU, J.
1946. La lutte contre les criquets dans le sud-ouest de la France en 1945. Acad. d' Agr. de France, Compt. Rend. 32: 231-234.

(32) BURKE, FREDERICK
1946. Crickets in bakeries. Their habits and some suggestions for their control. Food 15(173): 37.

(33) BUSTON, H. W., JACOBS, S. E., and GOLDSTEIN, A.
1946. Cause of physiological activity of 'Gammexane.' Nature [London] 158: 22.

(34) BUSVINE, J. R.
1946. New synthetic contact insecticides. Nature [London] 158: 22.

(35) ----
1946. The comparative toxicity of various contact insecticides to the louse, (Pediculus humanus L.) and the bed-bug (Cimex lectularius L.). Ann. Appl. Biol. 33: 271-279.

(36) BUXTON, R. A.
1944. Summary of "Larvicidal properties of DDT and 666; experiments conducted in Ceylon, March and April 1944"; (First experimental report by Major C. R. Ribbands.) Gt. Brit. Min. Prod. Rpt. IDP(44)176: 1-6. [Processed]*

(37) CALIFORNIA SPRAY-CHEMICAL CORPORATION
1946. Gamtox. U. S. Trademark 421,592, registered June 4.

(38) CALLAN, E. McC.
1945. Two new insecticides - DDT and 666. Trop. Agr. [Trinidad] 22: 98-99.

(39) CAMERON, G. R.
1945. Risks to man and animals from the use of 2,2-bis(p-chlorophenyl)1,1,1-trichlorethane (DDT), with a note on the toxicology of gamma-benzene hexachloride (666, Gammexane). Brit. Med. Bul. 3: 233.

(40) ---- and BURGESS, F.
1944. Toxicity of 666. Gt. Brit. Min. Prod. Rpt. IDP(44)131: 1-6. [Processed]*

(41) CAMPBELL, F. L.
1946. The action of insecticides. Sci. Monthly 63: 153-156.

(42) CAÑIZO, JOSÉ DEL
1946. Los nuevos insecticidas sintéticos. DDT y 666. Siembra [Spain] No. 7, pp. 4-7.

(43) CAWNPORE [INDIA] ORDNANCE LABORATORIES
1945. The use of DDT and 666 as insecticides against grain pests. (Part I-Incorporation of DDT and 666 in wall washes.) Jour. Sci. and Indus. Res. 4: 73-77.

(44) ----
1946. Use of DDT and 666 (benzene hexachloride) against grain pests. III. Persistence of toxicity of DDT and 666 applied in wall washes. Jour. Sci. & Indus. Res. 4: 493-495.

(45) CHABOUSSOU, F., and LAVAUR, J.
1945. La lutte contre l'hoplocampe des prunes (Hoplocampa flava L.) en Agenais. Acad. d' Agr. de France, Compt. Rend. 31: 60-64.

(46) CHAMLIN, GEORGE R.
1946. Chemistry of benzene hexachloride and its insecticidal properties. Jour. Chem. Ed. 23: 283-284.

(47) CHEMICAL CORPS, UNITED STATES ARMY
1946. Some observations on the pharmacology of hexachlorocyclohexanes. U. S. Chem. Corps Quarterly Prog. Rpt. on Insect and Rodent Control, July 1-Sept. 30, CML C, No. 11: pp. 22-30. [Available from Off. Tech. Serv., U. S. Dept. Com.]

(48) CHERIAN, M. C., and RAO, P. R. NAGARAJA
1945. Trials with DDT and 666 against pests of stored grains. Indian Farming 6: 572-573.

(49) COLEBROOK, M. A., EITREIM, I. M., and GERRITY, G. N.
1945. Insecticide output grows in United Kingdom and Eire. Foreign Com. Weekly [U. S. Dept. Com.] 21(2): 13, 46-48.

(50) COLLIE, J. N.
1897. On a space formula for benzene. [London] Chem. Soc. Proc. 13: 143-145.

(51) ----, and FRYE, C. C.
1897. Note on the action of bromine and benzene. [London] Chem. Soc. Proc. 14: 52-53.

(52) CRAUFURD-BENSON, H. J.
1944. Mosquito larviciding - 666 dust. Gt. Brit. Min. Prod. Rpt. IDP(44)202:1-12. [Processed]*

(53) ----
1945. Fly control with DDT and 666. Gt. Brit. Min. Prod. Rpt. IDP(45)227: 1-9, 7 appendixes. [Processed]*

(54) CRISTOL, S. J.
1947. The kinetics of the alkaline dehydrochlorination of the benzene hexachloride isomers. The mechanism of second-order elimination reactions. Amer. Chem. Soc. Jour. 69: 338-342.

(55) CUFF, RAY L.
1946. Stock sprays of tomorrow. Agr. Chem. 1(6): 23-26.

(56) DAASCH, L. W., and SMITH, D. C.
1947. Analysis of insecticide "666" (1,2,3,4,5,6-hexachloro-cyclohexane) by infrared spectroscopy. U. S. Naval Res. Lab. Rpt. P-3033, 21 pp., 8 plates.

(57) DAVID, W. A. L.
1945. The measurement of the quantity of spray collected by flying insects (Aedes aegypti and Musca domestica) exposed to insecticidal mists. Gt. Brit. Min. Prod. 21st Interim Rept. on Anti-Mosquito Sprays. IDP(45)236: 1-5. [Processed]*

(58) DAVIES, E. L.
1946. Toxicity of selected organic compounds to insects. Part III. Tests on adults of Sitophilus granarius. Alberta [Suffield] Expt. Sta. Tech. Minute No. 114, 7 pp. [Processed]

(59) DAWSON, R. B., and ESCRITT, J. R.
1946. Leather-jacket control with benzene hexachloride and with DDT. Nature [London] 158: 448.

(60) DE ATLEY, L. S.
1947. Chemicals and pest control. Pests 15(1): 32, 34, 36-38.

(61) DE MEILLON, BOTHA
1946. Effect on some blood-sucking arthropods of 'Gammexane' when fed to a rabbit. Nature [London] 158: 839.

(62) DEONIER, CHRISTIAN C., JONES, HOWARD A., and INCHO, HARRY H.
1946. Organic compounds effective against larvae of Anopheles quadrimaculatus-Laboratory tests. Jour. Econ. Ent. 39: 459-462.

(63) DICKER, G. H. L.
1946. Apple blossom weevil and its control by D.D.T. Ann. Appl. Biol. 33: 124-125.

(64) DICKINSON, R. G., and BILICKE, C.
1928. The crystal structures of beta-benzene hexabromide and hexachloride. Amer. Chem. Soc. Jour. 50: 764-770.

(65) DUMBLETON, L. J.
1945. "666" and "DDT" as mosquito larvicides. New Zeal. Jour. Sci. and Technol., Sect. A, 27(2): 133-134.

(66) DUPIRE, A. and RAUCOURT, M.
1943. Un insecticide nouveau: l'hexachlorure de benzène. Acad. d'Agr. de France. Compt. Rend. 29: 470-472.

(67) DUSTAN, G. G., ARMSTRONG, T., and PUTMAN, W. L.
1946. Preliminary experiments with benzene hexachloride (666) as an insecticide. Sci. Agr. 26: 106-121.

(68) EDDY, GAINES W., and CARSON, N. B.
1946. Further tests of the more promising materials against the body louse. Jour. Econ. Ent. 39: 763-767.

(69) EGLOFF, G.
1946. Petroleum, natural gas and agriculture. Chemurgic Digest 5: 241-245.

(70) FARADAY, MICHAEL
1825. On new compounds of carbon and hydrogen and on certain other products obtained during the decomposition of oil by heat. Phil. Trans. 1825, pp. 440-466. Also in Ann. de Chim. et de Phys. 30: 269-291.

(71) FAVARD, P.
1946. Lutte contre les larves de taupes et les vers gris. Prog. Agr. et Vitic. 125: 409-411.

(72) FERREIRA MIGLIANO, MARIO
1945. A. L. 63 and "666". Pub. Farm. [São Paulo] 11(41): 7-9, 11-13.

(73) FINRAK, C., and HASSEL, O.
1941. Molecular-structure determinations of several simple compounds by use of the rotating sector. Arch. Math. Naturvidenskab 45(3): 8 pp. [In Finnish. Chem. Abs. 36: 6408. 1942.]

(74) FISHER, L. A., and HANDFORD, R. H.
1946. The efficiency of Bug-getta Pellets and Gammexane as compared with sodium fluosilicate in baits. In Hanford, R. H., Comp., Results of grasshopper investigations during 1945. Part III. Work conducted in Canada. 51 pp. Canada Dept. Agr. Sci. Serv., Div. Ent. Processed Pub. 53: 31.

(75) FRIEDEL, C.
1891. Sur les hexachlorures de benzène. Soc. Chim. de France Bul. [3] 5: 130.

(76) FRIEND, A. H.
1945. Insect pests. Agr. Gaz. N. S. Wales 56: 552.

(77) ----
1946. Cauliflower seed crop pests. Field experiments with the newer insecticides. Observations and results. Agr. Gaz. N. S. Wales 57: 181-182.

(78) FULTON, B. B.
1946. Soil insecticides for control of the southern corn rootworm. Jour. Econ. Ent. 39: 781-783.

(79) GADD, C. H.
[n.d.] Report of the entomologist. Ceylon Tea Res. Inst. (Ann. Rpt. 1945) Bul. 27: 30-36.

(80) GAMBLE, REGINALD
1945. The new insecticides a big menace to bees? Smallhold., Poultry-Keeper and Gard. 74(1,860): 18.

(81) GERSDORFF, W. A., and McGOVRAN, E. R.
1945. Insecticide toxicity studies. Experimental results on the comparative toxicity of benzene hexachloride, DDT and pyrethrum. Soap and Sanit. Chem. 21(11): 117, 121.

(82) GLASGOW, R. D., and COLLINS, D. L.
1946. Control of the American dog tick, a vector of Rocky Mountain spotted fever: Preliminary tests. Jour. Econ. Ent. 39: 235-240.

(83) GOLDENSON, JEROME and SASS, SAMUEL
1946. Estimation of hexachlorocyclohexane (666) in impregnated cloth. [US-] Chem. Warfare Serv., Tech. Div. Memo Rpt. 1280, 15 pp. [Available from Off Tech. Serv., U. S. Dept. Com.]

(84) GOLDSCHMIDT, STEFAN, ENDRES, RUDOLF, and DIRSCH, RUDOLF
1925. Über den Umsatz von Äthylhypochlorit mit organischen Korpern. Deut. Chem. Gesell. Ber. 58: 572-577.

(85) GOLIGHTLY, W. H.
1946. Modern insecticides and their use against wireworms. Nature [London] 158: 448.

(86) ----- and HOGG, W. A.
1946. Practical control of wireworm with 'Gammexane'. Nature [London] 157: 772.

(87) GOMEZA OZÁMIS, JOSÉ MARIA
1945. El descubrimiento del nuevo insecticida 666. Ion [Madrid] 5: 745-750.

(88) GRANT, A. E., and IMPERIAL CHEMICAL INDUSTRIES, LTD.
1939. Benzene hexachloride. British patent 504,569, issued April 26.

(89) GREW, E. S.
1945. En busca de un veneno. Rev. Inst. de Defensa del Cafe de Costa Rica 15: 235-237.

(90) GUILHON, J.
1946. Recherches sur les propriétés insecticides et sur la toxicité de l'hexachlorocyclohexane. Acad. d'Agr. de France Compt. Rend. 32: 158-164.

(91) ----
1946. Un nouvel insecticide: l'hexachlorocyclohexane. Rec. de Méd. Vét. 122: 386-407.

(92) GÜNTHART, E.
1945. Über die insektizide Wirkung eines Benzolhexachlorid-Präparates. Ent. Gesell. Mitt. 19: 647-648.

(93) GUNTHER, F. A.
1946. Chlorination of benzene. Chem. and Indus. No. 44: 399.

(94) HALLER, H. L., and BOWEN, C. V.
1947. Basic facts about benzene hexachloride. Agr. Chem. 2(1): 15-17.

(95) HARBOUR, H. E.
1946. Sheep maggot fly control. Scot. Farmer 54: 583.

(96) ----
1946. Control of sheep maggot fly. Farmer & Stock-Breeder and Agr. Gaz. 60: 865.

(97) HARBOUR, H. E., and WATT, J. A.
1945. Spraying trials with DDT and "666" against the sheep blowfly. Vet. Rec. 57: 685-686.

(98) HARDIE, THOMAS
1940. Manufacture of benzene hexachloride. U. S. patent 2,218,148, issued Oct. 15. To Imperial Chemical Industries, Ltd.

(99) HASSEL, O., and HALSHAGEN, E.
1932. Electric moments of certain cyclohexane derivatives. Ztschr. f. phys. Chem. B15: 373-376.

(100) ---- and TAARLAND, T.
1942. The molecular structure of beta-benzene hexachloride. Tidsskr. Kjemi, Bergvesen, Met. 2: 6-7.

(101) HAZEN, A. C., and GOODHUE, L. D.
1946. Insecticidal aerosols. Stability in storage studied by accelerated aging tests. Soap and Sanit. Chem. 22(8): 151, 153, 155.

(102) HENDRICKS, S. B.
1930. Crystal structures of organic compounds. Chem. Rev. 7: 431-477.

(103) ---- and BILICKE, C.
1926. The space-group and molecular symmetry of beta-benzene hexabromide and hexachloride. Amer. Chem. Soc. Jour. 48: 3007-3015.

(104) HENTSCHEL, W.
1897. Über Chlorstickstoff. Deut. Chem. Gesell. Ber. 30: 1434-1437.

(105) HERMS, WILLIAM B.
1946. Some comparative laboratory tests with minute dosages of DDT, 666 and DDD on mosquito larvae and pupae. Calif. Mosquito Control Assoc. 14th Ann. Conf. Proc. and Papers, pp. 3-6.

(106) HERVEY, G. E. R.
1946. Effect of various dust mixtures on incidence of the cabbage aphid. Jour. Econ. Ent. 39: 265.

(107) HEYS, Z.
1871. Notiz über das Benzolhexachlorid. Ztschr. f. Chem. 14: 293-294.

(108) HOCKING, K. S., MacINNES, D. G., and WILSON, D. BAGSTER
1944. Preliminary trials of 666 as a larvicide. Gt. Brit. Min. Prod. Rpt. IDP(44)198: 1-4. [Processed]*

(109) ---- WILSON, MARGARET E., and WILSON, BAGSTER
1944. Tent trials of insecticides: Pymulso capsules, insecticide dispensers, 666 and Sesame. Gt. Brit. Min. Prod. Rpt. IDP(44)198: 1-2. [Processed]*

(110) HOLLAND, R. F.
1945. New insecticides. N. Y. State Assoc. Milk Sanit., Ann. Conf. 22: 165-176.

(111) HOLMES, E.
1945. 666: An insecticide triumph of British chemical industry. Industrial Pest Control Association, Apr. 9, 1945. 10 pp. [Processed.]

(112) HOSKINS, W. M., and CALDWELL, A. H., Jr.
1947. Development and use of a small spray chamber. Soap and Sanit. Chem. 23(4): 143-145, 161, 163, 165, 167.

(113) HUGHES, L. E., JENKINS, J. R. W., and JONES, J. M.
1946. A field trial of DDT and Gammexane (666) in the control of sheep myiasis. Vet. Rec. 58: 251-252.

(114) HUSAS, ØYSTEIN
1946. Til kamp mot jordloppene med de nye "våpen" DDT og 666. Norsk Landbruk 12: 196-198.

(115) HYNES, H. B. N.
1947. Use of 'Gammexane' dust against domestic cockroaches. Nature [London] 159: 200-201.

(116) IMPERIAL CHEMICAL INDUSTRIES, LTD.
1946. Gammexane. U. S. Trade-Mark 424,149, registered Sept. 24.

(117) ISELY, DWIGHT, and MINER, FLOYD D.
1946. Control of aphids on spinach with hexachlorocyclohexane. Jour. Econ. Ent. 39: 550.

(118) IVY, E. E., and EWING, K. P.
1946. Benzene hexachloride to control cotton insects. Jour. Econ. Ent. 39: 38-41.

(119) JAYLES, PAUL
1929. Sur la chloruration électrolytique du benzène en milieu méthylique. [Paris] Acad. des Sci. Compt. Rend. 189: 686-689.

(120) JENKINS, DALE W.
1945. A review of the insecticide hexachlorocyclohexane ("666"). [US] Chem. Warfare Serv. Med. Div. Rpt. No. 56. [Available from Off. Tech. Serv., U. S. Dept. Com] [Processed.]

(121) JUNGFLEISCH, EMILE
1868. Recherches sur les dérivés chlorés de la benzine. Ann. de Chim. et de Phys. [4]15: 186-329.

(122) KALMER, J.
1945. El dominio de la plaga de langosta. Victoriosa campaña quimica de la Gran Bretaña. El Campo y Suelo Argentino 29(345): 30-31.

(123) KAUER, D. G., DU VALL, R. B., and ALQUIST, F. N.
1946. The epsilon isomer of 1,2,3,4,5,6-hexachlorocyclohexane. Abstracts of Papers, Amer. Chem. Soc. Meeting, 110: 521.

(124) KEARNS, C. W., INGLE, LESTER, and METCALF, ROBERT L.
1945. A new chlorinated hydrocarbon insecticide. Jour. Econ. Ent. 38: 661-668.

(125) KELLER, H., HOCHIVEBER, M., and HALBAN, H. v.
1946. Polarographische und spektrographische Untersuchungen an organischen Halogenverbindungen. Helvetica Chim. Acta 29: 716-769.

(126) KENNEDY, J. S.
1946. A trial of the residual action of DDT and benzene hexachloride smoke deposits in kitchens, mainly against flies. Gt. Brit. Min. Supply [Porton] Rpt, Ptn. 1642(W.3092): 1-12. [Processed.]*

(127) KIRKWOOD, S., and PHILLIPS, Paul H.
1946. The antiinositol effect of gamma-hexachlorocyclohexane. Jour. Biol. Chem. 163: 251-254.

(128) KLINGSTEDT, F. W.
1927. Über die Einwirkung von unterchloriger Säure auf Benzolkohlenwasserstoffe. Acta Acad. Aboensis, Math. et Phys. 4(2): 1-36. [Abstract in Chem. Zentbl. 99(I): 503-505. 1928.]

(129) KNIPLING, E. F.
1947. Recent developments in insecticides of interest to pest control operators. Pests 15(2): 10, 12, 14.

(130) KRYUGER, E. A., and BEINOVA, M. S.
1933. Reaction velocity of halogen-substituted benzene compounds with sodium methylate. Jour. Gen. Chem. [U. S. S. R.] 3: 67-77. [Chem. Abs. 28: 1593-4. 1934.]

(131) LAL, J. B., and BISWAS, B.
1945. "Gammexane" - a new British insecticide. Sci. and Cult. [Calcutta] 11: 82-84.

(132) LAURENT, A.
1836. Sur la chlorophenisique et chlorophenesique. Ann. de chim. et de Phys. [2]63: 27-45.

(133) ----
1837. Über das chlorophenis und die Chlorophenisin-und Chlorophenesensaure. Justus Liebigs Ann. der Chem. 16: 60-71.

(134) LEE, D. C.
1945. Monthly progress report for August 1945 on insecticides (DDT, etc.) investigation in hand by C. D. R. D. Insecticide Applications Committee. Gt. Brit. Min. of Supply Rpt. A. 7532: 1-5. [Processed.]*

(135) ----
1945. Progress report on insecticides (DDT, etc.) investigation in hand by C. D. R. D. September/October, 1945. Insecticide Applications Committee. Gt. Brit. Min. of Supply Rpt. A. 9568: 1-5. [Processed.]*

(136) LEEDS, A. R., and EVERHART, E.
1880. [Benzene hexachloride.] Deut. Chem. Gesell. Ber. 1880, p. 1870. [Abstract in Jabresber, über Fortschr. der Chem. 1880, p. 477.]

(137) ---- and EVERHART, E.
1880. On the action of water and of argentic hydrate upon benzene hexachloride and naphthalene tetrachloride. Amer. Chem. Soc. Jour. 2: 203-213.

(138) LEPAGE, H. S., GIANNOTTI, O., and PEREIRA, H. F.
1945. Tecnica para o ensaio de insecticidas residuais. Biologico [São Paulo] 11: 320-325.

(139) LESIMPLE, C.
1866. Über das Verhalten des dreifachgechlorten Benzols zu einigen Agentien. Ann. der Chem. Pharm. 137: 122-124. (Also in Soc. Chim. de France Bul. 6: 161.)

(140) LÉTARD, H., and SACY, G. S. de
1945. Étude toxicologique du benzène hexachloré. Soc. de Biol. [Paris] Compt. Rend. 139: 353-354.

(141) LINDEN, T. van der.
1912. Über die Benzol-hexachloride und ihren Zerfall in Trichlorbenzole. Deut. Chem. Gesell. Ber. 45: 231-247.

(142) ----
1938. Die Addition und die Additionsprodukte der Halogene und Benzenederivate. VIII. Die Chlorierung der Benzenhexachloride. Rec. des Trav. Chim. des Pays-Bas, 57: 217-224.

(143) LOEFFLER, ERWIN S., and HOSKINS, W. M.
1946. Toxicity and repellency of certain organic compounds to larvae of Lucilia sericata. Jour. Econ. Ent. 39: 589-597.

(144) LORMAND
1945. Activité insecticide de l'hexachlorocyclohexane. Ann. Pharm. Franc. 3(2): 84-85.

(145) LOZANO MORALES, ALVARO
1945. Problemas practicos de lucha antipaludica. Estudio experimental de un nuevo larvicida. [Madrid] Rev. de Sanid. e Hig. Pub. 19: 413-424.

(146) McDUFFIE, W. C., LINDQUIST, ARTHUR W., and MADDEN, A. H.
1946. Control of fly larvae in simulated pit latrines and in carcasses. Jour. Econ. Ent. 39: 743-749.

(147) McGOVRAN, E. R., FALES, J. H., and GOODHUE, L. D.
1946. New formulations of aerosols dispersed by liquefied gases. Jour. Econ. Ent. 39: 216-219.

(148) ---- and PIQUETT, P. G.
1945. Toxicity of benzene hexachloride to housefly larvae. Jour. Econ. Ent. 38: 719.

(149) ---- and PIQUETT, P. G.
1946. Roach powder tests. Soap and Sanit. Chem. 22(8): 157, 159, 181.

(150) McLEOD, W. S.
1946. Hexachlorocyclohexane in the control of onion maggot. Jour. Econ. Ent. 39: 631-637.

(151) ----
1946. Effect of hexachlorocyclohexane on onion seedlings. Jour. Econ. Ent. 39: 815.

(152) MADDEN, A. H., LINDQUIST, ARTHUR W., and JONES, HOWARD A.
1947. Fly larvicide tests. Soap and Sanit. Chem. 23(3): 141, 143.

(153) MARTIN, HUBERT
1946. Insecticides: Chemical constitution and toxicity. Soc. Chem. Indus. Jour. 65: 402-405.

(154) MARTIN, HUBERT, and WAIN, R. L.
1945. The qualitative examination of insecticidal properties. Progress report, 1944. Bristol Univ., Agr. and Hort. Res. Sta. Ann. Rpt. 1944: 121-140.

(155) MATHLEIN, R.
1946. DDT och Gammexan mot kornmalen. [Sweden] Statens Vaxtskyddsanst, Vaxtskyddsnotiser No. 4: 63-64.

(156) MATTHEWS, F. E.
1891. The alpha- and beta-modifications of benzene hexachloride. [London] Chem. Soc. Jour. 59: 165-172.

(157) ----
1897. The representation of the isomeric benzene hexachlorides by Collie's space formula. [London] Chem. Soc. Proc. 13: 232-234.

(158) ----
1897. On benzene hexabromide. [London] Chem. Soc. Proc. 14: 52.

(159) MELANDER, BENGT
1946. Chemical constitution and insecticidal effect. Svensk Kem. Tidskr. 58: 231-233.

(160) MESA CARRION, FRANCISCO
1945. La lucha contra la langosta. Uruguay Min. de Ganad. y Agr. Bol. Inform. 2: 448.

(161) MEUNIER, J.
1884. Sur un composé nouveau prenant naissance dans la préparation de l'hexachlorure de benzine. [Paris] Acad. des Sci. Compt. Rend. 98: 436-438.

(162) ----
1887. Recherches sur les hexachlorures et l'hexabromure de benzine. Ann. de Chim. et de Phys. [6]10: 223-284.

(163) MILES, HERBERT W.
1945. Experiments on the control of flea beetles on Brassicae in the western province. Bristol Univ., Agr. and Hort. Res. Sta. Ann. Rpt. 1944: 145-149.

(164) MITCHELL, B. L.
1946. Exploratory trials of Gammexane and other chemicals in the control of tobacco soil pests. Rhodesia Agr. Jour. 43: 126-130.

(165) MITSCHERLICH, E.
1833. Sur la benzine et les acides de huiles et des stearoptes. Ann. de Chim. et de Phys. [2]55: 41-48.

(166) ----
1835. Chlorbenzin und Chlorbenzid. Ann. der Phys. u. Chem. 35: 370-374. Also in Justus Liebigs Ann. der Chem. 16: 172-173.

(167) MUNRO, J. W.
1944. DDT: A new insecticide. Nature [London] 154: 352-353.

(168) NASIR, M. MAQSUD
1946. DDT, 666 and insect pests of stored grains. Current Sci. [India] 15(4): 98-99.

(169) NEWTON, H. C. F., SATCHELL, F. E., and SHAW, M. W.
1946. Carrot fly control. Nature [London] 158: 417.

(170) NORRIS, D.
1946. Failure with "DDT" and success with "Gammexane" in the control of the culture mite. Austral. Inst. Agr. Sci. Jour. 12: 51-52.

(171) PASFIELD, G.
1945. Control of cabbage pests. Outstanding results with DDT and 666 dusts. Agr. Gaz. N. S. Wales 56: 489-492.

(172) ---- and BRYDEN, J. D.
1946. Codling moth control. Experiments at Bathurst using DDT, "666" and lead arsenate. Agr. Gaz. N. S. Wales 57: 535-538.

(173) ---- and HOLBECHE, J.
1946. Codling moth control. Experiments using DDT, "666" and lead arsenate at Orange. Agr. Gaz. N. S. Wales 57: 488-490, 498.

(174) PASQUIER, R., and GAUSSERAND, M.-T.
1945. Hexachlorocyclohexane (HCC) et faculté germinative du blé dur. Ann. de l'Inst. Agr. et des Serv. de Rech. et d'Expt. Agr. de l'Algérie 2: 29-34.

(175) PATERNO, E., and NASINI, R.
1889. Sulla determinazione del peso molecolare delle sostanze organiche per mezzo del punto de congelamento delle loro soluzioni. Gaz. Chim. Ital. 19: 195-209.

(176) PELIGOT, E.
1834. Sur la distillation du benzoate de chaux. Ann. de Chim. et de Phys. [2]56: 59-72.

(177) PEPPER, BAILEY B., CAMPBELL, JOHN C., and WILSON, CLIFTON
1946. Benzene hexachloride for wireworm control. Hints to Potato Growers [N.J. State Potato Assoc.] 27(5): 1-2.

(178) PETHERBRIDGE, F.
1945. Fruit tree pests. Farmers Weekly [London] 23(12): 14.

(179) PIEDROLA GIL, GONZALO
1946. Epidemologic value of the new insecticides. Comparative study of the two principal series and adequate procedures for their use. Med. Colon. [Madrid] 7: 209-42. [In Spanish. Chem. Abs. 40: 4169-4170.]

(180) PRUTHI, H. S., and NASIR, M.
1945. Tests with DDT and 666 as agricultural insecticides in India. 1. For stored grains. Indian Farming 6: 506-510.

(181) PURCHASE, H. S.
1945. Toxicity trials with the insecticide '666' on rabbits, sheep and a bovine. Vet. Rec. 57(18): 211.

(182) PURVIS, J. E .
1915. Absorption spectra of various halogen derivatives of benzene and toluene as vapors and in solution. [London] Chem. Soc. Jour. 107: 496-509.

(183) RAMSEY, L. L., and PATTERSON, W. I.
1946. Separation and purification of some constituents of commercial hexachlorocyclohexane. Assoc. Off. Agr. Chem. Jour. 29: 337-346.

(184) RAUCOURT, M.
1945. Les insecticides organiques de synthèse. L'hexachlorocyclohexane. Rev. Hort. [Paris] 118: 7-8.

(185) ----
1945. Revuede phytopharmacie. Ann. Agron. [Paris] 15: 379-433.

(186) ---- and BOUCHET, R. L.
1946. Un nouvel insecticide organique de synthèse, l'hexachlorocyclohexane. Chim. et Indus. 56: 449-455.

(187) RAUCOURT, M., and VIEL, G.
1945. Propriétés insecticides de l'hexachlorocyclohexane. Acad. d'Agr. de France Compt. Rend. 31: 558-565.

(188) RIERANDS, C. R.
1947. The use of residual films of DDT and Gammexane in malaria control. Bul. Ent. Res. 37: 567-592.

(189) ROBERTS, RAYMOND
1946. Benzene hexachloride for animal parasites. Jour. Econ. Ent. 39: 539.

(190) ROGERSON, SIDNEY
1945. Hexachlorocyclohexane as an insecticide. Nature [London] 156: 424.

(191) ROSELLA, ET.
1946. Des insecticides nouveaux apparaissent sur le marché. Menacent-ils l'apiculture? Prog. Agr. et Vitic. 125: 407-409.

(192) ROSENSTIEHL
1862. [Benzene hexachloride.] [Paris] Acad. des Sci. Compt. Rend. 54: 178. [Abstract in Jahresber. über Fortschr. der Chem. 1862, pp. 481-482.]

(193) ROSS, W. A.
1946. A potent new insecticide-benzene hexachloride or 666. Canada Dept. Agr. Sci. Serv., Div. Ent. Processed Pub. No. 50, 3 pp.

(194) SABATIER, P., and MAILHE, A.
1908. Synthèses d' alcools dans la série cyclohexaniques. Ann. de Chim. et de Phys. [8] 10: 527.

(195) SANCHEZ BUEDO, E.
1946. Un nuevo insecticida organico; el hexaclorocicloexano (666) y su isomero mas activo, el gamma (Gammexane). Agricultura [Madrid] 15: 124-127.

(196) SANDERS, J. G.
1946. An old chemical compound revealed as an exceedingly potent insecticide. Sci. Monthly 62: 465-466.

(197) SAVIT, J., KOLLROS, J. J., and TOBIAS, J. M.
1946. Measured dose of gamma hexachlorocyclohexane (gamma 666) required to kill flies and cockroaches, and a comparison with DDT. Soc. Expt. Biol. and Med. Proc. 62: 44-48.

(198) SCHOLL, ROLAND, and NORR, WILHELM
1900. Über die Einwirkung von Chlormonoxyd auf Benzol. Deut. Chem. Gesell. Ber. 33: 723-728.

(199) SCHUPPHAUS, R.
1884. Über die Einwirkung von Chlor auf seidendes Benzol. Deut. Chem. Gesell. Ber. 17: 2256-2260.

(200) SCOTT, T. L.
1945. French discovery of new insecticide. Microscope and Ent. Monthly 5: 311-312.

(201) SHANAHAN, G. J.
1946. "666" as a contact larvicide. Experiments with the primary sheep blowfly. Agr. Gaz. N. S. Wales 57: 546.

(202) SHAW, H.
1945. The new insecticides D.D.T. and benzene hexachloride and their significance in agriculture. Roy. Agr. Soc. Eng. Jour. 106: 204-220.

(203) SHO-E TEI AND SHIGERU KOMATSU
1927. Studies on catalytic action. XX. Catalytic chlorination. Kyoto Imp. Univ., Col. Sci. Mem. 10A: 325-30. [Chem. Abs. 22: 1086. 1928.]

(204) SITES, JOHN W.
1946. A simple method for the preparation of 666. Amer. Soc. Hort. Sci. Proc. 47: 213-214.

(205) SLADE, R. E.
1945. The gamma-isomer of hexachlorocyclohexane (Gammexane). Chem. and Indus. 40: 314-319. [Hurter Lecture, Summarized in Chem. Trade Jour. and Chem. Engin. 116: 279-281. 1945; and in Chem. Age 52: 244-246. 1945.]

(206) ----
1945. Specific poisons. Endeavour [London] 4: 148-153. [Summary in Fiji Dept. Agr., Agr. Jour. 17(1): 9. 1946.]

(207) STAPLEY, J. H.
1946. Beneficial insects and the new insecticides. Farming [Norwich, England] 1: 151-152.

(208) STEARNS, L. A.
1947. Progress report on a new insecticide. Soap and Sanit. Chem. 23(1): 117-119, 141.

(209) STEPHENSON, H. P., and CURTIS, A. L.
1936. Benzene hexachloride. British patent 447,058, issued May 7.

(210) STEVENSON, W. A., and SHEETS, L. W.
1946. Benzene hexachloride to control bugs on cotton. Jour. Econ. Ent. 39: 81.

(211) STEWARD, J. S.
1946. Application of 'Gammexane' to arthropods of veterinary importance. Nature [London]158: 636-637.

(212) STEWART, T. D., and HANSON, M. H.
1931. The induction of the reaction between chlorine and benzene by ethylene. Amer. Chem. Soc. Jour. 53: 1121-1128.

(213) STOKER, R. K.
1946. Interim report of the phytotoxicity of Gammexane to vegetable crops. Rothamsted Expt. Sta. Brit. Rpt. ARC8730. 3 pp. [Processed.]*

(214) SWARTS, F.
1935. Dérivés halogénés. In Grignard, V., ed., Traité de chimie organique. Vol. III, pp. 710-732. Paris.

(215) TANNER, C. C.
1944. Benzene hexachloride. Summary report of progress in research evaluation and production to June. Brit. Min. Prod. Rpt. IDP(44)187: 1-22. [Processed]*

(216) TATE, H. DOUGLAS
1946. Some recent developments in insecticides. Amer. Assoc. Cereal Chem. Trans. 4(2): 37-43.

(217) TAYLOR, E. L.
1945. Acaricidal property of a new insecticide, hexachlorobenzene. Nature [London] 155: 393-394.

(218) ———
1945. Benzenehexachloride. A promising new acaricide. Vet. Rec. 57: 210-211.

(219) TAYLOR, G. G.
1945. Preliminary field trials with D.D.T. and 666 against insect pests. New Zeal. Jour. Sci. and Technol. 27: 133-134.

(220) TAYLOR, H., and FRODSHAM, JACK
1946. Assay of toxic effect of 'Gammexane' on man and animals. Nature [London]158: 558.

(221) TEI and KOMATSKY
1928. [Benzene hexachloride] Kyoto Imp. Univ., College of Sci. Mem. (A)10: 328. [Abstract in Chem. Zentbl. 1928. I:2370.]

(222) THOMAS, F. J. D.
1946. The chemical control of crickets. Chem. and Indus. 31: 294-295.

(223) ---- and JAMESON, H. R.
1946. Practical control of wireworm with 'Gammexane'. Nature [London] 157: 555.

(224) ---- and JAMESON, H. R.
1946. Practical control of wireworm with 'Gammexane'. Nature [London] 158: 273.

(225) ---- and MILLINGER, T.
1946. "Gammexane" for cockroach eradication. Reprinted from Public Cleansing and Salvage [Glasgow], Sept. and Oct., 4 pp.

(226) THOMPSON, H. W.
1945. Recent applications of chemical spectroscopy. Endeavour [London] 4: 154-159.

(227) ----
1945. The use of infra-red spectra for analysis. Analyst 70: 448.

(228) TUFTS, L. E., and KIMBALL, R. H.
1947. The analysis of hexachlorocyclohexane by infra-red spectroscopy. Hooker Electrochemical Company Rpt. No. 4706, 8 pp. [Processed.]

(229) UNITED STATES BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE
1946. [Benzene hexachloride]. U. S. Bur. Ent. and Plant Quar. Ann. Rpt., 1946: 10-12.

(230) VLOED, A. van de
1939. Stoichiometry. III. Influence of molecular structure on the latent heat of fusion--a new mesomorphic state. Soc. Chim. de Belg. Bul. 48: 229-268.

(231) VOHL, H.
1867. Sur l'action de l'acide azotique fumant sur les dérivés chlorés de la benzine. Soc. Chim. de France Bul. Mém. 7: 424-425. Paris. [Also in Ztschr. f. Chem. 2: 122.1866.]

(232) WAKEFIELD, W. C.
1945. Production of benzene hexachloride. Chem. and Indus. No. 46: 367.

UNIVERSITY OF FLORIDA
3 1262 09227 9867

(233) WALLACE, C. R.
1946. Benzene hexachloride ("666") and D.D.T. applied to the soil against black beetle. Agr. Gaz. N. S. Wales 57: 200.

(234) ———
1946. Combatting the black beetle in maize. Soil jetting experiments with D.D.T. and "666". Agr. Gaz. N. S. Wales 57: 543-545, 550.

(235) WEED, ALFRED
1947. Benzene hexachloride. Soap and Sanit. Chem. 23(1): 115-116, 155.

(236) WESTGATE, M. W., and BOLTON, A. N., II
1946. Testing insecticidal paints. Natl. Paint, Varnish and Lacquer Assoc., Inc., Cir. 715: 26-33.

(237) WILLIAMS, JOHN WARREN, and FOGELBERG, JOHN M.
1931. The dielectric constants of binary mixtures. XII. Dipole moment, data for (A) naphthalene and certain of its derivatives. (B) Alpha and beta benzene hexachlorides. Amer. Chem. Soc. Jour. 53: 2096-2104.

(238) WOLFENBARGER, D. O.
1946. Cuban laurel thrips control on Ficus benjamini. Fla. Ent. 28: 82-3.

(239) ZEIN-EL-DINE, KHADIGA
1946. Insecticide DDT. Roy. Egypt Med. Assoc. Jour. 29: 38-54.

(240) ZINGEL, J.
1885. [Benzene hexachloride.] Ztschr. f. Krystallographie 10: 415. [Abstract in Jahresber. Über Fortschr. der Chem. 1885, p. 729.]